69/607,882

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,301,510 B1

Page 1 of 1

DATED

: October 9, 2001

INVENTOR(S) : Cooperberg et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Line 50, after "open-field" delete "field".

Column 6,

Line 10, replace " $\Gamma_{ie} = \iint Y_{ie} \boldsymbol{\phi}$, $\boldsymbol{E} \Gamma_1(\boldsymbol{\phi}, \boldsymbol{E}) d\boldsymbol{\phi} d\boldsymbol{E} = \iint dE(E^{1/2} - E_{th,e}^{1/2}) \int d\boldsymbol{\phi} Y_e(\boldsymbol{\phi}, \boldsymbol{E}) \int_1 (\boldsymbol{\phi}, \boldsymbol{E}) d\boldsymbol{\phi} d\boldsymbol{E} = \iint dE(E^{1/2} - E_{th,e}^{1/2}) \int d\boldsymbol{\phi} Y_e(\boldsymbol{\phi}, \boldsymbol{E}) \int_1 (\boldsymbol{\phi}, \boldsymbol{E}) d\boldsymbol{\phi} d\boldsymbol{E} = \iint dE(E^{1/2} - E_{th,e}^{1/2}) \int d\boldsymbol{\phi} Y_e(\boldsymbol{\phi}, \boldsymbol{E}) \int_1 (\boldsymbol{\phi}, \boldsymbol{E}) \int_1 (\boldsymbol{\phi}, \boldsymbol{E}) d\boldsymbol{\phi} d\boldsymbol{E} = \iint dE(E^{1/2} - E_{th,e}^{1/2}) \int d\boldsymbol{\phi} Y_e(\boldsymbol{\phi}, \boldsymbol{E}) \int_1 (\boldsymbol{\phi}, \boldsymbol{E}) d\boldsymbol{\phi} d\boldsymbol{E} = \iint dE(E^{1/2} - E_{th,e}^{1/2}) \int_1 d$

Line 27, " $ER = k_{s2} \beta_{1s} + \theta_e k_{e2} \Gamma_{ie} + k_{th} \Gamma_e - k_d \Gamma_d S_d (1 - \theta_e)$." with -- $ER = k_{s2} \Gamma_{1s} + \theta_e k_{e2} \Gamma_{ie} + k_{th} \Gamma_e - k_d \Gamma_d S_d (1 - \theta_e)$. --.

Signed and Sealed this

Twenty-sixth Day of March, 2002

Attest:

JAMES E. ROGAN
Director of the United States Patent and Trademark Office

Attesting Officer

Docket No. LAM-P0629



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:

Cooperberg et al.

SERIAL NO.:

09/607,882

FILING DATE:

June 30, 2000

TITLE:

METHOD AND APPARATUS TO CALIBRATE A SEMI-

EMPIRICAL PROCESS SIMULATOR

PATENT NO.:

6,301,510

ISSUED:

October 9, 2001

EXAMINER:

William Grant

ART UNIT:

2121

CERTIFICATE

AL CORRECTION

CERTIFICATE OF MAILING

I hereby certify that this paper is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231, on the date printed below:

Date: 12/14/1

Name

Danette Lindstrom

COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

TRANSMITTAL FOR CERTIFICATE OF CORRECTION

We enclose, pursuant to the provisions of 37 C.F.R. §1.322, a Certificate of Correction for United States Patent No. 6,301,510. Please make the Certificate of Correction and the statements herein of record.

The corrections made to the above-identified United States Patent in the Certificate of Correction filed herewith are to correct mistakes which are of a minor character according to 35 U.S.C. §254 and 37 C.F.R. §1.322. The proposed corrections do not

Docket No.LAM-P0629

constitute such changes in the patent as would constitute new matter or would require

re-examination.

37 C.F.R. §1.322 Corrections

Please see attached Certificate of Correction.

No Fee Due

It is believed that no fee is required for filing the above-noted document. In the

event any fee is required for filing of this Certificate of Correction, the Assistant

Commissioner is hereby authorized to charge the fee to our Deposit Account No. 50-

1698. A duplicate of this page is enclosed.

Respectfully submitted,
THELEN REID & PRIEST LLP

Adrienne Yeung Reg. No. 44,000

THELEN REID & PRIEST LLP P.O. Box 640640 San Jose, CA 95164-0640 (408) 292-5800 constitute such changes in the patent as would constitute new matter or would require re-examination.

37 C.F.R. §1.322 Corrections

Please see attached Certificate of Correction.

No Fee Due

It is believed that no fee is required for filing the above-noted document. In the event any fee is required for filing of this Certificate of Correction, the Assistant Commissioner is hereby authorized to charge the fee to our Deposit Account No. 50-1698. A duplicate of this page is enclosed.

Respectfully submitted,
THELEN REID & PRIEST LLP

Dated: December /3, 2001

Adrienne Yeung Reg. No. 44,000

THELEN REID & PRIEST LLP P.O. Box 640640 San Jose, CA 95164-0640 (408) 292-5800



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO: 6,301,510 DATED: October 9, 2001

INVENTOR(S): Cooperberg et al.

It is certified that error appears in the above-identified patent and that said Letter Patent are hereby corrected as shown below:

- 1) In column 5 line 50 after "open-field" delete "field".
- 2) In column 6 line 10 replace

3) In column 6 line 27 replace " $ER = k_{s2}\beta_{1s} + \theta_e k_{e2}\Gamma_{ie} + k_{th}\Gamma_e - k_d\Gamma_d S_d (1 - \theta_e)$." with - $ER = k_{s2}\Gamma_{1s} + \theta_e k_{e2}\Gamma_{ie} + k_{th}\Gamma_e - k_d\Gamma_d S_d (1 - \theta_e)$. - -

MAILING ADDRESS OF SENDER: Thelen Reid & Priest LLP P.O. Box 640640 San Jose, CA 95164-0640 PATENT NO. x,xxx,xxx

No. of additional copies